

Castaño-Villa, G. J., Santisteban-Arenas, R., Hoyos-Jaramillo, A., Estévez-Varón, J. V. and Fontúrbel, F. E. 2019. Foraging behavioural traits of tropical insectivorous birds lead to dissimilar communities in contrasting forest habitats. – Wildlife Biology 2019: wlb.00483

Appendix 1

Table A1. Foraging substrata (FS), foraging strata (FT), and presence of insectivorous birds captured at the alder plantation (AP) and the native forest (NF) at Central Andes Colombia.

Foraging substrata: bark foragers (BF), flycatchers (F), foliage gleaners (FG), and ground foragers (GF). Foraging strata: U = understory foragers, IM = intermediate stratum foragers, and C = canopy foragers.

Family – Species	FS	FT	Presence	
			AP	NF
Picidae				
<i>Picoides fumigatus</i>	BF	C	X	X
<i>Colaptes rivolii</i>	BF	C	X	0
<i>Campephilus pollens</i>	BF	IM	0	X
Grallariidae				
<i>Grallaria ruficapilla</i>	GF	U	0	X
Rhinocryptidae				
<i>Scytalopus latrans</i>	GF	U	X	X
<i>Scytalopus spillmanni</i>	FG	U	X	0
Furnariidae				
<i>Dendrocincla tyrannina</i>	BF	IM	X	X
<i>Dendrocolaptes picumnus</i>	BF	IM	0	X

<i>Xiphocolaptes promeropirhynchus</i>	BF	IM	X	X
<i>Xiphorhynchus triangularis</i>	BF	IM	X	0
<i>Lepidocolaptes lacrymiger</i>	BF	IM	X	X
<i>Anabacerthia striaticollis</i>	BF	IM	0	X
<i>Thripadectes holostictus</i>	BF	U	0	X
<i>Thripadectes flammulatus</i>	BF	U	0	X
<i>Premnoplex brunnescens</i>	BF	U	X	X
<i>Margarornis squamiger</i>	BF	IM	X	0
<i>Synallaxis azarae</i>	FG	U	X	X

Tyrannidae

<i>Phyllomyias nigrocapillus</i>	FG	C	X	0
<i>Mecocerculus poecilocercus</i>	FG	C	X	0
<i>Leptopogon rufipectus</i>	F	IM	X	X
<i>Poecilotriccus ruficeps</i>	FG	U	X	0
<i>Myiophobus flavicans</i>	F	IM	0	X
<i>Pyrrhomyias cinnamomeus</i>	F	C	X	0
<i>Ochthoeca diadema</i>	F	U	X	0
<i>Ochthoeca cinnamomeiventris</i>	F	IM	X	X
<i>Myiarchus cephalotes</i>	F	C	X	0

Tityridae

<i>Pachyramphus versicolor</i>	FG	C	X	X
--------------------------------	----	---	---	---

Vireonidae

<i>Vireo leucophrys</i>	FG	C	X	0
-------------------------	----	---	---	---

Troglodytidae

<i>Troglodytes solstitialis</i>	FG	IM	X	X
<i>Cinnycerthia unirufa</i>	FG	U	X	0

<i>Cinnycerthia olivascens</i>	FG	U	X	X
<i>Henicorhina leucophrys</i>	FG	U	X	X
Thraupidae				
<i>Kleinothraupis atropileus</i>	FG	IM	X	0
<i>Thlypopsis superciliaris</i>	FG	C	X	X
<i>Sphenopsis melanotis</i>	FG	U	X	X
<i>Conirostrum albifrons</i>	FG	C	X	0
<i>Catamblyrhynchus diadema</i>	FG	U	X	0
Parulidae				
<i>Setophaga fusca</i>	FG	IM	X	0
<i>Myiothlypis luteoviridis</i>	FG	U	X	X
<i>Myiothlypis nigrocristata</i>	FG	IM	X	X
<i>Myiothlypis coronata</i>	FG	U	X	X
<i>Myioborus miniatus</i>	FG	C	0	X
<i>Myioborus ornatus</i>	FG	C	X	0
<i>Cardellina canadensis</i>	FG	IM	X	X
Icteridae				
<i>Amblycercus holosericeus</i>	FG	U	X	X